

Department of Defense Standardization Program



ASSIST UPDATE

(Formerly the DODISS Notice)

(A bi-monthly summary of changes to the ASSIST document database)

15 April 2007

(For the Period 1 April 2007 to 14 April 2007)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-----------------------------|---|--------------|----------|-----|-----------|-------------|
| M | MIL-DTL-71172B(1) | Cylinder, Recuperator, Recoil, M119A1/A2 Howitzer Light, Towed: 105MM [CUST: AR] | C | 1015 | | AR | 09-FEB-2007 |
| M | MIL-K-20277H NOT 2 | Knife, Combat: and Sheath [CUST: AR CC] [REVIEW: MC] | A | 1095 | | CC | 21-MAR-2007 |
| M | MIL-DTL-60477C | Projectile, 155MM, Smoke, WP, M110A2, Loading and Assembling [CUST: EA] [REVIEW: AR] | X | 1320 | | EA | 29-MAR-2007 |
| M | MMPDS | Metallic Materials Properties Development and Standardization (MMPDS) [CUST: AV AS 11 GS] [REVIEW: IS] | A | 1560 | | 11 | 18-JAN-2007 |
| M | MIL-DTL-87218D(2) NOT 1 | Cable, Lockclad, for Aircraft Control [CUST: AV AS 99] [REVIEW: 71] | A | 1640 | | GS5 | 27-MAR-2007 |
| M | QPL-AS6039-2 | Bearings, Ball, Rod End, Double Row, Self-Aligning | A | 3110 | | GS4 | 29-MAR-2007 |
| M | MIL-DTL-3992F(1) | Hose and Hose Assembly, Rubber, Air and Vacuum Brake, Systems [CUST: AT MC 99 CC] [REVIEW: 71 MI SA] | A | 4720 | | CC | 05-APR-2007 |
| M | MIL-HDBK-57C | Listing of Fastener Manufacturer's Identification Symbols [CUST: IS] | A | 53GP | | IS | 05-APR-2007 |
| M | MIL-PRF-55182H(1) SUP 1A | Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS] | A | 5905 | | CR | 22-MAR-2007 |
| M | A-A-59746A | Fuse, Cartridge, Subminiature, Time Delay, Axial Lead [CUST: EC CC] | A | 5920 | / | CC | 27-MAR-2007 |
| M | MIL-PRF-8805/90G | Switch, Sensitive, Low Force, SPDT, 10 Amperes, Unsealed [CUST: EC CC] | A | 5930 | | CC | 27-MAR-2007 |
| M | MIL-DTL-8834/1A NOT 1 | Switches, Toggle, Positive Break, Four Pole, Miniature, Sealed, Solder Lug, with or without Lever Lock, .469 or .250 inch Mounting Bushing [CUST: 11 CC] [REVIEW: 99] | A | 5930 | | CC | 11-APR-2007 |
| M | MIL-DTL-15743/11C | Switch, Rotary, Enclosed, Submersible (15 Feet), Snap Action, 500 Volts Alternating Current/250 Volts Direct Current, 30 Ampere, Symbol 2753 DPST [CUST: SH CC] | A | 5930 | | CC | 26-MAR-2007 |
| M | MIL-DTL-15743/13C | Switch, Rotary, Enclosed, Dripproof Action, Transfer, with Indication, 125 Volts Alternating Current, 30 Ampere, Symbol 849 (TPDT) [CUST: SH CC] | A | 5930 | | CC | 26-MAR-2007 |
| M | MIL-DTL-15743/16B | Switch, Rotary, Enclosed, Submersible (15 Feet), Contact Maker, Six-Pole, Two-Position, Spring-Return, 125 Volts Alternating Current, 10 Ampere, Symbol 2637.1 [CUST: SH CC] | A | 5930 | | CC | 26-MAR-2007 |
| M | MIL-DTL-15743/18B | Switch, Rotary, Enclosed, Submersible (15 Feet), Snap Action, Six-Pole, Two-Position, Positive Detent, 125 Volts Alternating Current, 10 Ampere, Symbol 2639.1 [CUST: SH CC] | A | 5930 | | CC | 12-MAR-2007 |
| M | MIL-PRF-39012/70C | Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Pin Contact, Jamnut Mounted, Rear Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-39012/74C | Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMC (Cabled, Pin Contact, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-39012/76C | Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Pin contact, Jamnut Mounted Rear Mounted, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-39012/81G | Connectors, Plug, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semiriged) - Socket Contact, Class 2 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-39012/82G | Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semiriged), Flange Mounted - Socket Contact, Class 2 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-39012/83G | Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMA (Cabled, Semiriged) - Jam Nut Mounted, Socket Contact, Class 2 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A | 5935 | | CC | 18-JAN-2007 |
| M | MIL-PRF-55339/14A(1) | Adapter, Connector, Coaxial, Radio Frequency, Right Angle (Within Series BNC Jack to Series BNC Plug), Class 2 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI] | A | 5935 | | CC | 13-FEB-2007 |
| M | MIL-PRF-55339/23A(1) | Adapter, Connector, Coaxial, Radio Frequency, In-Line, (Between Series C Jack To Series BNC Plug), Class 2 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 13-FEB-2007 |
| M | MIL-DTL-83513F | Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for [CUST: CR EC 11 CC] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | 22-MAR-2007 |
| M | MIL-DTL-83513/3H | Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Pin Contacts, Class M, Crimp Type [CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 22-MAR-2007 |
| M | MIL-DTL-83513/4G | Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Socket Contacts, Class M, Crimp Type [CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH] | A | 5935 | | CC | 22-MAR-2007 |
| M | MIL-PRF-39016/21G | Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 1.0 Ampere (Sensitive, 60 Milliwatts) with Internal Diodes for Coil Transient Suppression and Polarity Reversal Protection [CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC OS SH] | A | 5945 | | CC | 28-MAR-2007 |
| M | MIL-PRF-19500/177F(2) NOT 1 | Semiconductor Device, Transistor, PNP, Silicon, Low-Power Types 2N1131, 2N1131L, 2N1132, 2N1132L, JAN and JANTX [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 11-APR-2007 |
| M | MIL-PRF-19500/446C NOT 1 | Semiconductor Device, Silicon, High-Power, Single Phase, Full Wave Bridge Rectifier, JAN, JANTX, and JANTXV Types SPA25, SPB25, SPC25, SPD25 [CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 MI] | A | 5961 | | CC | 11-APR-2007 |
| M | MIL-PRF-19500/630D | Semiconductor Device, Field Effect, Radiation Hardened Transistor, P-Channel, Silicon, Types 2N7389, 2N7390, 2N7389U, and 2N7390U, JANTXV, R, and F and JANS, R, and F [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC SM] | A | 5961 | | CC | 30-MAR-2007 |
| M | MIL-PRF-19500/707 NOT 1 | Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon Types 2N7500U5, 2N7501U5, and 2N7502U5 JANTXVR and JANSR [CUST: CR EC 11 CC NA] [REVIEW: 71 99 AV MI] | A | 5961 | | CC | 11-APR-2007 |
| M | QPL-15265-16 NOT 1 | Insulation, Electrical, Plastic (Submarine Bus Bar Covering) (REPLACED BY THE QUALIFIED PRODUCTS DATABASE (QPD) SEE NOTICE 1 FOR ADDITIONAL INFORMATION) | A | 5970 | | SH | 04-APR-2007 |
| M | MIL-DTL-24215/8A NOT 1 | Attenuators, Variable Coaxial, Frequency Range DC to 2 GHZ (SMA) [CUST: CR EC 11 CC] [REVIEW: 99 AR MI] | A | 5985 | | CC | 11-APR-2007 |
| M | MIL-DTL-24215/9C NOT 1 | Attenuators, Variable (Coaxial), Class 5 (SMA) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI OS SM] | A | 5985 | | CC | 11-APR-2007 |
| M | MIL-DTL-24215/10A NOT 1 | Attenuators, Variable (Step) Coaxial, Class 7 (BNC) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS MC MI OS SH] | A | 5985 | | CC | 11-APR-2007 |
| M | MIL-HDBK-816(1) NOT 1 | Guidelines for Developing Radiation Hardness Assurance Device Specifications [CUST: CR EC 19 CC] [REVIEW: 11 99 AR AS CG DS MC NA OS SH SM] | A | 59GP | | CC | 11-APR-2007 |
| M | MIL-PRF-51200D | Sampling Kit, CBR Agent M34A1 [CUST: EA 99] | A | 6665 | | EA | 27-MAR-2007 |
| M | MIL-PRF-23377J(2) | Primer Coatings: Epoxy, High-Solids [CUST: MR AS 99] [REVIEW: 11 84 AR CG DS EA FSS MC MI OS SH] | A | 8010 | | AS | 10-APR-2007 |
| M | MIL-DTL-17376/1A | Caps and Flanges, Compressed-Gas Cylinder: Caps [CUST: CR4 YD 68 GS7] [REVIEW: MC MD] | A | 8120 | | GS7 | 22-MAR-2007 |
| M | QPL-46010-18 | Lubricant, Solid Film: Heat Cured, Corrosion Inhibiting | A | 9150 | | AT | 31-MAR-2007 |
| M | STANAG-1052 ED.32 | Allied Submarine and Anti-Submarine Exercise Manual - AXP-1(D) | C | ISDN | | NI | 12-JUL-2006 |
| M | STANAG-1104 ED.10 | The Allied Worldwide Navigational Information System (AWNIS) - AHP-1(C) | C | ISDN | | NI | 18-SEP-2006 |

ASSIST UPDATE

15-APR-2007

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-------------------------|--|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MIL-DTL-51489B | Projectile, 155MM, Smoke, WP, M110A2, Filling Assembly [CUST: EA] | X | 1320 | | EA | 28-MAR-2007 |
| M | AN7516 REV 4 | Adapter, Tie Down Aircraft Floor (2,500 Pounds) [CUST: AV 99 GS7] [REVIEW: 71] | A | 1670 | | GS7 | 26-MAR-2007 |
| M | MIL-M-38510/27(3) NOT 3 | Microcircuit, Digital, TTL, Low-Power, Multiple NOR Gates, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-APR-2007 |
| M | MIL-M-38510/173B NOT 3 | Microcircuits, Digital, CMOS, Decoders, Encoder, and Decoders/Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-APR-2007 |
| M | MIL-M-38510/177B NOT 3 | Microcircuit, Digital, CMOS, Schmitt Triggers, Monolithic Silicon, Positive Logic [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-APR-2007 |
| M | MIL-M-38510/178A NOT 3 | Microcircuit, Digital, CMOS Multiplexers Demultiplexers Monolithic Silicon, Positive Logic [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | 11-APR-2007 |
| M | MIL-DTL-10392D | Cord, Electrical (Audio, Miniature) [CUST: CR AS 11 CC] [REVIEW: 71 AR AT AV CR4 EC MC MI OS] | A | 6145 | | CC | 11-MAR-2007 |
| M | MIL-DTL-12995D | Wire, Electrical, Antenna (Wire, W-120) [CUST: CR CC] | A | 6145 | | CC | 27-FEB-2007 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-----------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MIL-C-17/155A NOT 3 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/155-00001 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/156 NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/156-00001 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/157A NOT 3 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/157-00001 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-DTL-17/158B NOT 1 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/158-00001 (See Notice 1 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/159(1) NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/159-00001 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/160B NOT 3 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/160-00001 (For New Design Use MIL-C-17/212) (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/161(2) NOT 1 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/161-00001 and M17/161-00002 (See Notice 1 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/162A NOT 5 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/162-00001(See Notice 5 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/163A NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/163-00001(See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/164(1) NOT 3 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/164-00001 and M17/164-00002 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/167B NOT 3 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/167-000001 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/168A NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/168-00001 and M17/168-00002 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/169A NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/169-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/170A NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/170-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/171A NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/171-00001 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/172A NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/172-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/173A NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/173-00001 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH TD] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/174A NOT 4 | Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/174-00001 (See Notice 4 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/175B NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/175-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/197B NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/197-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/198B NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/198-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/199B NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/199-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |
| M | MIL-C-17/200B NOT 2 | Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/200-00001 (See Notice 2 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 71 99 AR AS AT CR4 MC MI OS SH] | A | 6145 | | CC | 13-MAR-2007 |